Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	200	(MEMS with scan\$4 with laser)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 10:11
L2	19	(MEMS with scan\$4 with laser) same wavelength	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 10:13
L3	83	(MEMS with scan\$4 with laser) same application	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 10:16
L4	3 09/848,332		US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 10:16
L5	O	4 and (laser same wavelength same MEMS)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/08/04 10:17
L6	2	4 and (laser and wavelength and MEMS)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 10:17
L7	5	(((multiple plural\$3) near3 (laser diode)) and (reflect\$3 near2 coat\$3) and (support substrate) and (("same" near3 axis) coaxial\$2) and output\$4).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 11:00
S1	7038	(laser diode LED) with ((reflect\$3 mirror) near3 (coat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 16:55

S2	467	(laser adj1 diode) with ((reflect\$3 mirror) near3 (coat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 16:44
S3	72740	(laser diode LED ((optic\$2 light) near2 (path output axis))) with align\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 12:00
54	1790	S1 and S3  US-PC USPA USOC EPO; DERW IBM_		OR	ON	2005/07/29 16:54
S5	324	S4 and "heat sink"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 16:54
S6	1991	(reflect\$3 near5 (narrow near1 band))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 17:00
S7	40	S1 and S3 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 17:00
S8	2068	(reflect\$3 reflectivit\$3) near5 (narrow near1 band)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 13:02
S9	41	S1 and S3 and S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 17:24

_						
S10	4391	(output near3 combin\$5) with (laser diode LED)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 10:55
S11	115	S4 and S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 17:25
S12	530	(coat\$3 near5 ((second back) near1 (face facet surface))) with (laser diode LED)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 10:56
S13	773	(coat\$3 near5 ((first front) near1 (face facet surface))) with (laser diode LED)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/08/01 10:56
S14	220	S12 and S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 10:57
S15	72775	(laser diode LED ((optic\$2 light) near2 (path output axis))) with align\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 10:57
S16	94	S14 and S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 11:59
S17	189	(superimpos\$3 (super adj1 impos\$3)) near3 wavelengths	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 12:00

	T -	I				·
S18	159	(laser diode LED ((optic\$2 light) near2 (path output axis))) and S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 12:08
S19	83	(lasers diodes LEDS) and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 12:01
S20	2	((laser diode LED) with (plurality plural multiple) near5 propagat\$3) with (("same" identical) near2 ((optic\$2 light) near2 (path output axis)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 13:08
S21	3	((laser diode LED) with (plurality plural multiple) near5 propagat\$3) with (("same" identical) near2 (path output axis))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 13:08
S22	559	372/23.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 15:24
S23	18	(cascad\$3 near2 laser) same ((plural\$3 multiple) near2 wavelength)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 15:08
S24	20	(cascad\$3 near2 (LED diode laser)) same ((plural\$3 multiple) near2 wavelength)		OR	ON	2005/08/02 15:16
S25	310	(cascad\$3 near2 (LED diode laser)) and "372"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 15:18

S26	295	(cascad\$3 near2 (LED diode laser)) and "372"/\$.ccls. and wavelength	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 16:36
S27	682	(series near2 (LED diode laser)) and "372"/\$.ccls. and wavelength	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 16:37
S28	295	(cascad\$3 near2 (LED diode laser)) and "372"/\$.ccls. and wavelength	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 16:37
S29	654	S27 not S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 17:53
S30	11	(("6240116") or ("5371753") or ("6002695") or ("5471055") or ("5774488") or ("4899204") or ("5223741") or ("5764675") or ("20020155631") or ("5495490") or ("4489477")).PN.	US-PGPUB; USPAT	OR	OFF	2005/08/02 17:55
S31	315	align\$4 near2 ((plural\$3 mulitple) adj2 (laser LED diodes))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 10:56
S32	4	S31 same (wavelength near1 (different distinct\$3 individual distinguish\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 11:05
S33	415	372/68.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 10:57

S34	714	372/69.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 10:57
S35	301	372/71.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 10:57
S36	1336	372/75.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 10:58
S37	28	S31 and (wavelength near1 (different distinct\$3 individual distinguish\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 10:30
S38	284	(S33 S34 S35 S36) and (wavelength near1 (different distinct\$3 individual distinguish\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 10:55
S39	124	align\$4 near2 ((plural\$3 mulitple) adj2 ((optic\$2 light) near1 source))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 10:56
S40	14	14 S39 and (wavelength near1 (different distinct\$3 individual distinguish\$4))		OR	ON	2005/08/03 10:56
S41	2149	(laser diode LED) adj7 (output\$4 adj5 (another second)) adj7 (laser diode LED)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 11:13

S42	1481	(laser diode LED) adj7 (output\$4 adj3 (another second)) adj7 (laser diode LED)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 11:05
S43	967	(laser diode LED) adj7 (output\$4 adj3 (another second)) adj3 (laser diode LED)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 11:05
S44	18	S43 same (wavelength near1 (different distinct\$3 individual distinguish\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 14:16
S45	0 (laser diode LED) near1 consective same (wavelength near1 (different distinct\$3 individual distinguish\$4))		US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 11:13
S46	58	(laser diode LED) near1 (serial series cascad\$3) same (wavelength near1 (different distinct\$3 individual distinguish\$4))  US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		OR	ON	2005/08/03 11:30
S47	4	(("4885753") or ("4980895") or ("5077752") or ("5936994")).PN.	US-PGPUB; USPAT	OR .	OFF	2005/08/03 11:55
S48	0	fabre adj1 perot adj1 laser	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 11:55
S49	5	5 fabre adj1 perot near5 laser		OR	ON	2005/08/03 11:55
S51	127	(reflect\$3 reflectivit\$3) near5 (narrow near1 band) with (coat\$2 coating)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 13:02

S52	97	S51 and (laser diode LED)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 13:03
S53	42	S51 same (laser diode LED)	US-PGPUB; OUS-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		ON	2005/08/03 16:52
S54	0	10/767199			ON	2005/08/03 13:20
S55	35	packag\$3 with (laser adj1 diode) with coat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 14:56
S56	29			OR	ON	2005/08/03 15:10
S57	115	(foreign adj1 priority) same PCT	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 16:59
S58	22	(US-20030031227-\$ or US-20030048737-\$ or US-20030099264-\$ or US-20040136430-\$ or US-20040161011-\$).did. or (US-4786132-\$ or US-4868835-\$ or US-5371753-\$ or US-5537258-\$ or US-5696786-\$ or US-6661568-\$ or US-6693923-\$ or US-6788712-\$ or US-6801550-\$ or US-6829256-\$ or US-6898222-\$ or US-6917634-\$ or US-6920290-\$). did. or (JP-2004172230-\$).did.	US-PGPUB; USPAT; JPO	OR	ON	2005/08/03 15:21

S59	6	S58 and (heat adj1 sink)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 15:22
S60	126	372/23.ccls. and ((plural\$3 mulitple) adj2 (laser LED diodes))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 15:25
S61	2	372/23.ccls. and ((plural\$3 mulitple) adj2 (laser LED diodes)) with (heat adj1 sink)  US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		OR	ON	2005/08/03 15:26
S62	264	((plural\$3 mulitple) adj2 (laser LED diodes)) with (heat adj1 sink)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 15:32
S63	33	((laser near1 diode) near5 support) with (heat adj1 sink)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 15:50
S64	451	broad with (area range) with emit\$4 with laser	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 16:00
S65	453	broad adj1 area adj1 laser	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 16:24
S66	0	(heat adj1 sink) near7 (hermetic\$4 near3 encas\$3) with (laser near1 diode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 16:27

S67	. 1	(heat adj1 sink) near7 (hermetic\$4 near3 encas\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2005/08/03 16:25
S68	0	(hermetic\$4 near3 encas\$3) with (laser near1 diode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 16:26
S69	625	(hermetic\$4 near3 encas\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 16:26
S70	1	(heat adj1 sink) near7 (airtight\$5 (air adj1 tight\$5)) with (laser near1 diode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 16:52
S71	330	(scan\$4 with MEM) same (laser diode LED)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 16:53
S72	33	(scan\$4 with MEM) same (laser diode LED) same wavelength	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 16:59
S73	10	S72 and (project\$3 and display\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 16:59
S74	0	scan\$4 same (MEM with project\$3 with display\$3) same (laser diode LED) same wavelength	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 17:00

S75		(MEM with project\$3 with display\$3) same (laser diode LED) same wavelength	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 17:03
S76	5	(MEM with display\$3) same (laser diode LED) same wavelength	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/08/03 17:03
S77	369	369 (MEMS with project\$3 with display\$3) UE		OR	ON	2005/08/03 17:04
S78	50	(MEMS near3 project\$3 near3 display\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 17:06
S79	78	(MEMS near5 project\$3 near5 display\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 17:06
S80	10	(MEMS near5 project\$3 near5 display\$3) and ((diode laser) same wavelength)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 17:07



## PALM INTRANET

Day: Thursday Date: 8/4/2005 Time: 10:58:56

## **Inventor Name Search Result**

Your Search was:

Last Name = DOWNING First Name = ELIZABETH

Application#	Patent#	Status	Date Filed	Title	Inventor Name
60624929	Not Issued	020	11/03/2004	SYSTEM AND METHOD FOR THE EXCITATION, INTERROGATION, AND IDENTIFICATION OF COVERT TAGGANTS	DOWNING, ELIZABETH
60603143	Not Issued	020	08/19/2004	TRANSFORMABLE, APPLICABLE MATERIAL AND METHODS FOR USING SAME FOR OPTICAL EFFECTS	DOWNING, ELIZABETH
60585365	Not Issued	159	07/02/2004	SYSTEM AND METHODS FOR INDUCING DYNAMIC, COLOR-CHANGING, FLUORESCENT AND REFLECTIVE PROPERTIES IN PIGMENTS, INKS AND ON PRINTED/COATED MEDIA	DOWNING, ELIZABETH A.
60100850	Not Issued	159	09/18/1998	3D VOLUMETRIC IMAGING OF OCULAR VASCULAR STRUCTURES	DOWNING, ELIZABETH
60098966	Not Issued	159	09/02/1998	METHOD FOR CATHETER NAVIGATION DURING ENDOVASCULAR PROCEDURES USING A 3-D VOLUMETRIC DISPLAY	DOWNING, ELIZABETH
60096059	Not Issued	159	08/11/1998	IMAGE CHAMBER MATERIAL DESIGN FOR A LASER-BASED 3-D VOLUMETRIC DISPLAY	DOWNING, ELIZABETH
60095141	Not Issued	159	07/31/1998	REAL TIME 3D VOLUMETRIC DISPLAY SYSTEM FOR CATHETER NAVIGATION DURING ENDOVASCULAR PROCEDURES	DOWNING, ELIZABETH
11173620	Not Issued	020	07/01/2005	SYSTEMS AND METHODS FOR CREATING OPTICAL EFFECTS ON MEDIA	DOWNING, ELIZABETH A.
10948757	Not Issued	030	09/24/2004	LASER DIODE ALIGNMENT AND PACKAGING SYSTEM FOR INTEGRATED OPTICAL AND DISPLAY SUBASSEMBLIES	DOWNING, ELIZABETH
10767199	Not Issued	030	01/30/2004	LASER DIODE SYSTEM	DOWNING, ELIZABETH
09387888	Not Issued	161	09/01/1999	METHOD FOR CATHETER NAVIGATION DURING ENDOGVASCULAR PROCEDURES USING A 3D VOLUMETRIC DISPLAY	DOWNING, ELIZABETH ANNE
09370503	Not Issued	161	08/09/1999	IMAGE CHAMBER MATERIAL DESIGN FOR A 3-D VOLUMETRIC DISPLAY	DOWNING, ELIZABETH ANN



00220740	NT 4	161	06/10/1000	METHOD AND SYSTEM FOR	DOUBING ELIZADETTI
09329740	Not Issued	161	06/10/1999	METHOD AND SYSTEM FOR THREE-DIMENSIONAL DISPLAY OF INFORMATION BASED ON TWO-PHOTON UPCONVERSION	DOWNING, ELIZABETH ANNE
08963411	5943160	150	11/03/1997	SYSTEM AND METHOD FOR CO-DOPED THREE-DIMENSIONAL DISPLAY USING TWO-PHOTON UPCONVERSION	DOWNING, ELIZABETH ANNE
08963405	5914807	150	11/03/1997	METHOD AND SYSTEM FOR THREE-DIMENSIONAL DISPLAY OF INFORMATION BASED ON TWO-PHOTON UPCONVERSION	DOWNING, ELIZABETH ANNE
08963233	<u>5956172</u>	150	11/03/1997	SYSTEM AND METHOD USING LAYERED STRUCTURE FOR THREE-DIMENSIONAL DISPLAY OF INFORMATION BASED ON TWO-PHOTON UPCONVERSION	DOWNING, ELIZABETH ANNE
08791686	5764403	150	01/30/1997	PANEL DISPLAY USING TWO-FREQUENCY UPCONVERSION FLUORESCENCE	DOWNING, ELIZABETH A.
08544075	<u>5631194</u>	150	10/17/1995	HEAVY METAL FLUORIDE GLASS CONTAINING INDIUM TRIFLUORIDE	DOWNING, ELIZABETH A.
08435062	5684621	150	05/08/1995	METHOD AND SYSTEM FOR THREE-DIMENSIONAL DISPLAY OF INFORMATION BASED ON TWO-PHOTON UPCONVERSION	DOWNING, ELIZABETH A.
07826197	5243665	150	01/22/1992	COMPONENT SURFACE DISTORTION EVALUATION APPARATUS AND METHOD	DOWNING, ELIZABETH A.
07489643	Not Issued	166	03/07/1990	COMPONENT EVALUATION SYSTEM	DOWNING, ELIZABETH A.
07473754	5054918	150	02/02/1990	LIGHT SCANNING SYSTEM FOR MEASUREMENT OF ORIENTATION AND PHYSICAL FEATURES OF A WORKPIECE	DOWNING, ELIZABETH A.
<u>07248056</u>	4870485	150	09/23/1988	THREE DIMENSIONAL IMAGE GENERATING APPARATUS HAVING A PHOSPHOR CHAMBER	DOWNING, ELIZABETH A.
06748850	4684246	150	06/26/1985	SOFT CONTACT LENS ANALYZER	DOWNING, ELIZABETH A.

Inventor Search Completed: No Records to Display.

	Last Name	First Name	
Search Another: Inventor	DOWNING	ELIZABETH	Search

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page



## PALM INTRANET

Day: Thursday Date: 8/4/2005 Time: 10:59:14

## **Inventor Name Search Result**

Your Search was:

Last Name = BRUEGL First Name = JUERGEN

Application#	Patent#	Status	Date Filed	Title	Inventor Name
11014853	Not Issued	041	12/20/2004	PROJECTION SYSTEM AND METHOD COMPRISING A FLUORESCENCE PROJECTION SCREEN AND A RADIATION SOURCE WHICH CAN EMIT IN THE NON-VISIBLE SPECTRUM	BRUEGL, JUERGEN
11013518	Not Issued	041	12/17/2004	HOLOGRAPHIC DISPLAY SYSTEM	BRUEGL, JUERGEN
10948757	Not Issued	030	09/24/2004	LASER DIODE ALIGNMENT AND PACKAGING SYSTEM FOR INTEGRATED OPTICAL AND DISPLAY SUBASSEMBLIES	BRUEGL, JUERGEN
10767199	Not Issued	030	01/30/2004	LASER DIODE SYSTEM	BRUEGL, JUERGEN
10255088	6691325	150	09/26/2002	HELMET FOR A RACE DRIVER	BRUEGL, JUERGEN
10227446	Not Issued	161	08/26/2002	SELF-TINTING HELMET VISOR AND METHOD OF MAKING SAME	BRUEGL, JUERGEN
09922005	Not Issued	094	08/06/2001	DISPLAY ARRANGEMENT FOR FADING OPTICAL INFORMATION INTO AN OBSERVER'S FIELD OF VIEW	BRUEGL, JUERGEN

Inventor Search Completed: No Records to Display.

Last Name First Name
Search Another: Inventor BRUEGL JUERGEN Search

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page

